

Linear LED High Bay Light

60W/100W/150W/160W/200W/240W/320W



Specifications

Wattage	60W/100W / 150W / 160W / 200W / 240W / 320W
LED Chip	SMD 2835, Samsung or other LED Chip
Driver Brand	MEANWELL / SOSEN / WEIPENG / ZHIHE or Other Brand
Light Output	7,800LM / 13,000LM / 19,500 LM / 21,000 LM / 31,500 LM / 39,000 LM
Efficacy	130-140 LM/W (Can customize higher LM/W if needed)
AC Input Voltage	AC 120~347V/ 120-277V / 180-480V
Light Distribution	120° (Normal), 60°/ 90°/ 100x140° (with lens)
Mounting Type	Pendant Mount (Stainless steel / 1/2" NPT Pipe Mount)
Accessories	Emergency Battery Kit , Motion Sensor , Dali Dimming
Housing Color	Black / White (Customize Finish Available)
Dimming	0~10V / 1-10V
Ambient Temperature	-40°C to +45°C(-40°F to +113°F)
Lifetime	50,000H
Exclusive Feature	Extruded Aluminum Material; Smooth Dynamic Shape
Warranty	5 years

Features



Motion sensor




0-10V Dimming



CCT Select



Power Select



BLE Mesh

Extruded Aluminum material with smooth dynamic shape



Motion sensor :Saving energy cost and labor cost




ANT-5-4T



RC-100

SENSOR COVERAGE




Optional Lens for different kind of beam angle (Optional)




Dimensions


LH420 (4' Long)



LH421 (3' Long)



LH422 (2' Long)




Applications



Building



Workshop




Warehouse



Gymnasium


Light Distribution

120 degree



Normal Diffuser ones


60 degree




Optical Lens ones for option

Installation


Installation 1 (1/2" NPT Pipe Mount)



Installation 2 (Stainless Steel & V-clips)




Installation 3 (Stainless Steel & Hook)




Packaging information

Wattage	Product Dimension(mm/in)	Carton Box Dimension	N.W (Kg/lb)	G.W (Kg/lb)	One Carton	Wattage(Available)
LH422	1224 x 426 x 113.6 mm 48.19 x 16.77 x 4.47 in	710 x 510 x 130 mm 27.95 x 20.08 x 5.12 in	6.6Kg(14.55lb)	7.70kg(16.98lb)	1 PCS	100W/150W
LH421	924 x 426 x 113.6 mm 36.38 x 16.77 x 4.47 in	1010 x 510 x 130 mm 39.76 x 20.08 x 5.12 in	9.0Kg(9.92lb)	10.20kg(22.49lb)	1 PCS	150W/240W
LH420	624 x 426 x 113.6 mm 24.57 x 16.77 x 4.47 in	1290 x 510 x 130 mm 50.79 x 20.08 x 5.12 in	11.70Kg(13.01lb)	13.20kg(29.10lb)	1 PCS	100W/160W 240W/320W

Lamp



Protection



Package

