

LED PARKING LOT LIGHTS

LUMENS DEPOT LED Parking Lot lighting fixture includes a Dusk to Dawn photocell sensor and 0-10V dimming. It features a durable, aluminum alloy housing and is easily installed in parking lots, campuses, stadiums, or as a replacement for streetlights. ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Lumens: 21,000lm
- Input Power: 150W
- Input Voltage: AC120-347V
- Dimmable: 0-10V
- 140 LPW
- CRI: ≥ 70
- Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): $>70,000$
- Mounting bracket: Arm mounted
- Light Sensor: Dusk-to-Dawn (Photocell sensor)
- Waterproof Rating: IP66
- Limited Warranty: 5-Year

RECOMMENDED USE

- Parking Lots
- Industrial Areas
- Street Road
- Schools and Universities
- Sports Courts
- Pathways and Bike Trails
- Commercial Exteriors
- Outdoor Event Spaces
- Public Parks

DIMENSION



150W

LED PARKING LOT LIGHTS

LUMENS DEPOT LED Parking Lot lighting fixture includes a Dusk to Dawn photocell sensor and 0-10V dimming. It features a durable, aluminum alloy housing and is easily installed in parking lots, campuses, stadiums, or as a replacement for streetlights. ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Lumens: 28,000lm
- Input Power: 200W
- Input Voltage: AC120-347V
- Dimmable: 0-10V
- 140 LPW
- CRI: ≥ 70
- Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): $>70,000$
- Mounting bracket: Arm mounted
- Light Sensor: Dusk-to-Dawn (Photocell sensor)
- Waterproof Rating: IP66
- Limited Warranty: 5-Year

RECOMMENDED USE

- Parking Lots
- Industrial Areas
- Street Road
- Schools and Universities
- Sports Courts
- Pathways and Bike Trails
- Commercial Exteriors
- Outdoor Event Spaces
- Public Parks

DIMENSION



200W

LED PARKING LOT LIGHTS

LUMENS DEPOT LED Parking Lot lighting fixture includes a Dusk to Dawn photocell sensor and 0-10V dimming. It features a durable, aluminum alloy housing and is easily installed in parking lots, campuses, stadiums, or as a replacement for streetlights. ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Lumens: 42,000lm
- Input Power: 300W
- Input Voltage: AC120-347V
- Dimmable: 0-10V
- 140 LPW
- CRI: ≥ 70
- Operating Temperature Range: -31°F to 122°F (-35°C to 50°C)
- Estimated L70 Lifetime @ 25°C (77°F): $>70,000$
- Mounting bracket: Arm mounted
- Light Sensor: Dusk-to-Dawn (Photocell sensor)
- Waterproof Rating: IP66
- Limited Warranty: 5-Year

RECOMMENDED USE

- Parking Lots
- Industrial Areas
- Street Road
- Schools and Universities
- Sports Courts
- Pathways and Bike Trails
- Commercial Exteriors
- Outdoor Event Spaces
- Public Parks

DIMENSION



300W