

LED HIGH BAY LIGHTS

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 15,000lm
- Input Power: Selectable 100W (100%) - 80W(80%) - 60W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



100W(80W/60W)

LED HIGH BAY LIGHTS

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 22,500lm
- Input Power: Selectable 150W (100%) - 120W(80%) - 90W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



150W(120W/90W)

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 30,000lm
- Input Power: Selectable 200W (100%) - 160W(80%) - 120W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



200W(160W/120W)

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 36,000lm
- Input Power: Selectable 240W (100%) - 190W(80%) - 140W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



240W(190W/140W)

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 45,000lm
- Input Power: Selectable 300W (100%) - 240W(80%) - 180W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



300W(240W/180W)

LUMENS DEPOT Adjustable LED High Bay Light Series offers customizable on-site adjustments for Wattage and CCT., allowing you to customize your lighting experience. It includes 0-10V dimming for energy conservation.

This light is not only aesthetically pleasing, but also built to withstand tough conditions with its IK08 and IP65 ratings. DLC Premium/ETL/FCC/RoHS are approval, as a testament to its exceptional quality, it comes with a generous 5-year warranty.




SPECIFICATION

- Max Delivered Lumens: 45,000lm
- Input Power: Selectable 400W (100%) - 320W(80%) - 240W(60%)
- Input Voltage: AC100-277V
- Dimmable: 0-10V
- 150 LPW
- CRI: ≥ 70
- CCT adjustable: 3000K-4000K-5000K
- Estimated L70 Lifetime @ 25°C (77°F): >70,000
- Power Factor: >0.9 at full load
- Total Harmonic Distortion: <20% at full load
- Waterproof Rating: IP65
- Limited Warranty: 5-Year

RECOMMENDED USE

- Auto Dealerships
- Commercial
- Gymnasiums
- Industrial
- Manufacturing
- Storage Facilities
- Warehouses

DIMENSION



400W(320W/240W)